#### SECTION 905 -- PROPOSAL (CONTINUED)

I (We) further propose to execute the attached contract agreement (Section 902) as soon as the work is awarded to me (us), and to begin and complete the work within the time limit(s) provided for in the Specifications and Advertisement. I (We) also propose to execute the attached contract bond (Section 903) in an amount not less than one hundred (100) percent of the total of my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (We) enclose a certified check, cashier's check or bid bond for **five percent (5%) of total bid** and hereby agree that in case of my (our) failure to execute the contract and furnish bond within Ten (10) days after notice of award, the amount of this check (bid bond) will be forfeited to the State of Mississippi as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda): ADDENDUM NO. 10/17/2008 ADDENDUM NO. \_\_\_\_\_ DATED DATED ADDENDUM NO DATED ADDENDUM NO. DATED Number Description TOTAL ADDENDA: 1 (Must agree with total addenda issued prior to opening of bids) 1 Revised Table of Contents; Revised Notice to Bidders #2110: Revised Notice to Bidders # Respectfully Submitted, 2123; Revised Notice to Bidders #2142; Added Notice to Bidders #2159; Revised Supplement to Special Provision #907-687-12; Revised Bid Sheets: Revised Plan Sheets Nos. 2, 15, 16, 72 DATE \_\_\_\_ & 73; Amendment EBS Download Required. Contractor BY \_\_\_\_ Signature TITLE \_\_\_\_ ADDRESS CITY, STATE, ZIP PHONE \_\_\_\_ E-MAIL (To be filled in if a corporation) Our corporation is chartered under the Laws of the State of \_\_\_\_\_\_ and the names, titles and business addresses of the executives are as follows: President Address Secretary Address Treasurer Address

The following is my (our) itemized proposal.

IM-0055-02(195) N / 104153301 IM-0020-01(185) N / 104153302 Hinds County(ies)

#### TABLE OF CONTENTS

#### **PROJECT:** IM-0055-02(195) N & IM-0020-01(185) N / 104153301 & 302 – Hinds County

901--Advertisement

904--Notice to Bidders: Governing Specs. - # 1

Final Cleanup - #3

Storm Water Discharge Associated W/Construction Activities

 $(\geq 1 \text{ and } < 5 \text{ Acres}) - #14$ 

Fiber Reinforced Concrete - #640

Disadvantage Business Enterprise, W/Supplement - # 696

On-The-Job Training Program - # 777

Payroll Requirements - # 883

Use of Precast Drainage Units - #1321

Errata & Modifications to 2004 Standard Specifications - #1405

Safety Apparel - #1808

Minimum Wage Rate - #1869

Status of Right-of-Way, Utility Adjustments and Potentially

Contaminated Sites, W/Attachments - #1903

DBE Forms, Participation and Payment - #1918

Non-Quality Control / Quality Assurance Concrete - #1922

Federal Bridge Formula – #1928

Petroleum Products Base Price - #2093

Contract Time # 2110 Specialty Items - #2111

Cooperation Between Contractors - #2117

Detour Signage Plan - #2118

Joint Repairs - #2119

Portable Construction Lighting - #2120

Vehicle Loop Assemblies #2121

Milling Requirements - #2122

Containment System - #2123

Restrictions on Replacement of Concrete Pavement - #2124

Lane Closure and Work Restrictions - #2125

Rumble Stripe - #2134

Restricted Area - #2142

Cold Milling Stockpile - #2159

906: Required Federal Contract Provisions -- FHWA-1273, W/Supplement

907-104-1: Partnering Process

#### PAGE 2

## PROJECT: IM-0055-02(195) N & IM-0020-01(185) N / 104153301 & 302-HINDS COUNTY

907-105-3:	Cooperation By Contractors, <u>w/Supplement</u>
907-107-1:	Liability Insurance, W/Supplement
907-107-6:	Legal Relations & Responsibility to Public, W/Supplement
907-108-13:	Liquidated Damages Table
907-108-15:	Cessation of Contract Time
907-108-17:	Prosecution and Progress
907-109-3:	Partial Payment, W/Supplement
907-213-2:	Agricultural Limestone
907-304-9:	Crushed Aggregate Courses
907-401-2:	Hot Mix Asphalt (HMA), W/Supplement
907-403-4:	Hot Mix Asphalt (HMA), W/Supplement
907-407-1:	Tack Coat
907-410-3:	High Friction Surface Treatment
907-413-2:	Sawing and Sealing Transverse Joints in Asphalt Pavement
907-512-1:	Grout Mixture
907-601-1:	Structural Concrete
907-618-4:	Placement of Temporary Traffic Stripe
907-619-1:	Changeable Message Signs
907-626-15:	Thermoplastic Traffic Markings
907-687-12:	Traffic Recorder
907-701-3:	Hydraulic Cement
907-703-6:	Aggregate for Crushed Courses
907-707-2:	Joint Material
907-711-3:	Synthetic Structural Fiber Reinforcement
907-713-1:	Admixtures for Concrete
907-714-5:	Miscellaneous Materials
907-715-3:	Roadside Development Materials
907-720-1:	Pavement Marking Materials
907-804-8:	Concrete Bridges and Structures, W/Supplement
906-3:	MDOT On-the-Job Training Program
906-6:	MDOT On-the-Job Training Program - Alternate Program

SECTION 905 - PROPOSAL,

PROPOSAL SHEET NOS. 2-1 THRU 2-12,

COMBINATION BID PROPOSAL,

CERTIFICATE OF PERFORMANCE - PRIOR FEDERAL-AID CONTRACTS,

NON-COLLUSION CERTIFICATE,

SECTION 902 - CONTRACT FORM, AND SECTION 903 - CONTRACT BOND FORM, OCR-485,

**BID BOND** 

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET OF SECTION 905 AS ADDENDA)

SECTION 904- NOTICE TO BIDDERS NO. 2110 CODE: (SP)

DATE: Februar4, 2008

**SUBJECT:** Contract Time

PROJECT: IM-0055-02(195) N & IM-0020-01(185) N / 104153301 & 302 - Hinds County

The calendar date for completion of work to be performed by the Contractor for this project shall be <u>October 22, 2009</u>, which date or extended date as provided in Subsection 108.06 shall be the end of contract time. It is anticipated that the Notice of Award will be issued by not later than <u>November 12, 2008</u>, and the date for issuing the Notice to Proceed/Beginning of Contract Time will be <u>March 12, 2009</u>.

Should the Contractor request a Notice to Proceed earlier than <u>March 12, 2009</u>, the date the Notice to Proceed is issued will also be the Beginning of Contract time.

A progress schedule as referenced to in Subsection 108.03 will not be required for this contract.

Any delay which causes the issuance of the Notice to Proceed after March 12, 2009, will result in an adjustment in the beginning of contract time in accordance with Subsection 907-108.2.

Bidders are hereby advised that contract time for this project was based on the Contractor having multiple operations underway simultaneously.

CODE: (SP)

SECTION 904- NOTICE TO BIDDERS NO. 2123

**DATE:** 10/20/2008

**SUBJECT:** Containment System for Maintenance Metal Structures

PROJECT: IM-0055-02(195) N & IM-0020-01(185) N / 104153301 & 302 - Hinds County

Bidders are hereby advised that the bridge painting on this project shall be performed under the lane closure restrictions in Notice To Bidders No. 2125. The contractor shall design, install and maintain a containment system to assure the traveling public will not be exposed to construction debris and materials during the cleaning and painting process. The containment system shall be approved by the Engineer before work will be allowed to begin on the structure. The containment system shall be designed to contain chips, flakes, water, debris, paint, etc. The containment system will be the responsibility of the Contractor and shall be presented to the Project Engineer prior to or on the date of the preconstruction conference.

There will be no separate payment for the containment system. Price to be included in other items bid.

The minimum bridge clearance is approximately 15' 0".

Bidders are also advised that there may be some lead based paint encountered during the cleaning process. Any hazardous materials that are removed during the cleaning process shall be disposed of properly.

SECTION 904- NOTICE TO BIDDERS NO. 2142 CODE: (SP)

**DATE:** 10/17/2008

**SUBJECT:** Restricted Area

PROJECT: IM-0055-02(195) N & IM-0020-01(185) N / 104153301 & 302 - Hinds

**County** 

Bidders are hereby advised that no work will be allowed in the following area until after **August 3, 2009**, unless earlier approval is granted by the Engineer:

## Eastbound lanes from the bridge that goes over I-55 southbound to the EOP

However, the Contractor will be required to maintain the above mentioned roadway in accordance with the provision of Subsection 105.14. The Contractor will be required to maintain the I-20 eastbound lanes between the east end of the bridge that goes over I-55 southbound to the Gallatin Street Ramp at Station 570+00, and from the west end of the bridge over Gallatin Street to the EOP.

CODE: (SP)

SECTION 904 - NOTICE TO BIDDERS NO. 2159

**DATE:** 10/20/2008

**SUBJECT:** Cold Milling Stockpile

PROJECT: IM-0055-02(195) N & IM-0020-01(185) N / 104153301 & 302 - Hinds County

Bidders are advised that Note No. 8 of the General Notes on page 4 of the plans directs the Contractor to stockpile 8,000 tons of cold milling at the stockpile site on Highway 51 north of Gallatin Street. The cold milling shall not come from cold milling of the ramps or shoulders. Only mainline milling shall be placed in the stockpile.

The Contractor will also have to "push up" the milled material at the stockpile site. The Contractor will be required to push the milled material into one stockpile. The Contractor will be responsible for placing and operating equipment necessary to "push up" the milled material.

#### SUPPLEMENT TO SPECIAL PROVISION NO. 907-687-12

DATE: 10/14/2008

**SUBJECT:** Automatic Traffic Recorder

After the last paragraph of Subsection 907-687.01 on page 2, add the following:

The ATR equipment cabinet must receive power and phone service irrespective of its location.

All Automatic Traffic Recorders shall be powered by AC voltage distributed by a local power company. Solar panels or other devices used to create DC voltage shall not be utilized to generate power for the ATRs. Any existing electric power supply or telephone service provided by the State for the operation of the existing ATR system at a location will continue to be furnished by the State for the operation of the new system. It shall be the Contractor's responsibility, without additional cost to the State, to make connections as are necessary to connect to the existing electric power supply or telephone supply for service to operate the system.

At any location that does not have an existing AC power or telephone service, it shall be the Contractor's responsibility, without additional cost to the State, to make the necessary arrangements with the local power and/or telephone company to provide electrical and telephone service. The Contractor shall pay for all deposits, hook-up charges, and other fees required by the utility companies. The Contractor will be responsible for all cost necessary to connect and provide service for the system until full maintenance release, as documented in writing by the State Construction Engineer.

The power supply and phone service to the ATR equipment cabinet shall not utilize the same bore and conduit as the cables from sensors and loops. A separate bore, trench and conduit shall be utilized to house the power supply and telephone service.

Milling and overlaying of I-55 from McDowell Road to I-20 and I-20 from Gibraltar St. to the Rankin County Line, known as Federal Aid Project Nos. IM-0055-02(195) N & IM-0020-01(185) N / 104153301 & 302, in the County of Hinds, State of Mississippi.

I (We) agree to complete the entire project within the specified contract time.

#### \*\*\* SPECIAL NOTICE TO BIDDERS \*\*\*

# BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED. BIDS WILL NOT BE CONSIDERED UNLESS THE BID CERTIFICATION LOCATED AT THE END OF THE BID SHEETS IS SIGNED \*\*\*BID SCHEDULE\*\*\*

#### Line Item Code Adj Quantity Units Description Unit Price Item Amount Code No. Ct Dollar Ct Dollar **Roadway Items** Clearing and Grubbing 0010 201-B001 12 Acre 0020 202-B005 345 Square Removal of Asphalt Pavement, All Depths Yard 202-B024 180 Square Removal of Concrete Median & Island Pavement, All Depths 0030 Yard 0040 202-B025 650 Square Removal of Concrete Paved Ditch (All Depths) (All Types) Yard 0050 202-B036 655 Square Removal of Concrete Slope Paving Yard Removal of Fence, All Types 0060 202-B041 18.700 Linear Feet 0070 202-B076 60.334 Linear Removal of Traffic Stripe (All Types) Feet 123 Square 0080 202-B084 Removal of Base (All Depths) Yard

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0090	202-B094		1,200	Linear Feet	Removal of Curb &/or Curb and Gutter, All Types		
0100	202-B102		5,725	Linear Feet	Removal of Guard Rail (All Types) (Includes Anchor, Postand Rail)		
0110	202-B119		1,310	Square Yard	Removal of Concrete Pavement, Continuous Reinforcement, All Depths		
0120	202-B120		162	Square Yard	Removal of Concrete Pavement, Conventional Reinforcement, All Depths		
0130	202-B189		2	Each	Removal of Impact Attenuator (All Types)		
0140	203-EX030	(E)	9,000	Cubic Yard	Borrow Excavation, AH, LVM, Class B15		
0150	203-G004	(E)	400	Cubic Yard	Excess Excavation, LVM, AH		
0160	209-A004		325	Square Yard	Geotextile Stabilization, Type V, Non-Woven		
0170	212-B001		53,240	Square Yard	Standard Ground Preparation		
0180	213-B001		7	Ton	Combination Fertilizer, 13-13-13		
0190	213-C001		7	Ton	Superphosphate		
0200	214-A002		220	Pounds	Seeding, Bermudagrass		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	:	Bid Amoun	nt
0210	214-A003		220	Pounds	Seeding, Tall Fescue				
0220	214-A004		220	Pounds	Seeding, Crimson Clover				
0230	215-A001		22	Ton	Vegetative Materials for Mulch				
0240	216-A001		350	Square Yard	Solid Sodding				
0250	217-A001		1,000	Square Yard	Ditch Liner				
0260	219-A001		2	Thousand Gallon	Watering	20.	00	40.	00
0270	221-A001	(S)	75	Cubic Yard	Portland Cement Concrete Paved Ditch				
0280	234-A001		4,400	Linear Feet	Temporary Silt Fence				
0290	235-A001		75	Bale	Temporary Erosion Checks				
0300	239-A001		400	Linear Feet	Temporary Slope Drains				
0310	304-B023	(GT)	7,829	Ton	Granular Material, Class 5, Group C				
0320	406-A003		30,003	Ton	Cold Milling of Bituminous Pavement, All Depths				

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0330	406-B001		17,325	Square Yard	Cold Milling of Concrete Pavement, All Depths		
0340	413-B001		76,000	Linear Feet	Cleaning and Sealing Joints		
0350	423-A001		10	Mile	Rumble Strips, Ground In		
0360	501-D001		120	Linear Feet	Expansion Joints, With Dowels		
0370	503-A004	(C)	162	Square Yard	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish		
0380	503-A007	(C)	1,310	Square Yard	9" and Variable Continuously Reinforced Concrete Pavement, Broom Finish		
0390	503-B001		1,155	Linear Feet	Saw Cut, Longitudinal Joints		
0400	503-C002		2,252	Linear Feet	Saw Cut, 3-inch		
0410	503-C007		2,292	Linear Feet	Saw Cut, Full Depth		
0420	503-D001		126	Cubic Yard	Concrete for Base Repair		
0430	503-E002		540	Each	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted		
0440	503-F001		84	Each	1" Smooth Dowel Bars, Drilled & Epoxied or Grouted		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0450	508-A001		3,650	Linear Feet	Silicone Sealed Joints		
0460	512-A001		1,250	Each	Holes		
0470	512-C002		76	Pounds	Calcium Chloride		
0480	512-D001		4	Mile	Preliminary Testing		
0490	602-A001	(S)	2,280	Pounds	Reinforcing Steel		
0500	606-B001		4,075	Linear Feet	Guard Rail, Class A, Type 1		
0510	606-B004		825	Linear Feet	Guard Rail, Class A, Type 1, Metal Post (Eight Foot)		
0520	606-B010		119	Linear Feet	Guard Rail, Class A, Type 1, Thrie Beam, Metal Post		
0530	606-B017		4	Each	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section		
0540	606-C002		5	Each	Guard Rail, Cable Anchor Type 1, Metal Post		
0550	606-D001		5	Each	Guard Rail, Bridge End Section, Type A		
0560	606-D002		5	Each	Guard Rail, Bridge End Section, Type C		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amoun	t
0570	606-D012		2	Each	Guard Rail, Bridge End Section, Type I				
0580	606-E002		3	Each	Guard Rail, Terminal End Section, Flared				
0590	606-E003		13	Each	Guard Rail, Terminal End Section, Non-Flared				
0600	607-B006		4,000	Linear Feet	60" Type II Chain Link Fence, Class II				
0610	607-P1007		300	Each	Line Post, 7' x 1 1/2" Galvanized Steel				
0620	607-P2009		100	Each	Brace Post, 8' x 2 1/2" Galvanized Steel				
0630	609-B001	(S)	325	Linear Feet	Concrete Curb, Header				
0640	609-D002	(S)	235	Linear Feet	Combination Concrete Curb and Gutter Type 2				
0650	609-D003	(S)	750	Linear Feet	Combination Concrete Curb and Gutter Type 3				
0660	616-A001	(S)	162	Square Yard	Concrete Median and/or Island Pavement, 4-inch				
0670	616-A003	(S)	22	Square Yard	Concrete Median and/or Island Pavement, 10-inch				
0680	618-A001		1	Lump Sum	Maintenance of Traffic	XXXXXXXX	XXX		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
0690	619-A1002		18	Mile	Temporary Traffic Stripe, Continuous White		
0700	619-A2002		17	Mile	Temporary Traffic Stripe, Continuous Yellow		
0710	619-A3006		82	Mile	Temporary Traffic Stripe, Skip White		
0720	619-A5001		195,672	Linear Feet	Temporary Traffic Stripe, Detail		
0730	619-A6003		6,912	Linear Feet	Temporary Traffic Stripe, Legend, Paint		
0740	619-A6004		2,808	Square Feet	Temporary Traffic Stripe, Legend, Paint		
0750	619-D1001		72	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet		
0760	619-D2001		176	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More		
0765 Added	619-F1001 10/17/2008		2,000	Linear Feet	Concrete Median Barrier, Precast		
0770	619-F1009		2,000	Linear Feet	Portable Median Barrier, 60 MPH		
0780	619-F2001		8,000	Linear Feet	Remove and Reset Concrete Median Barrier, Precast		
0785 Added	619-F2002 10/17/2008		8,000	Linear Feet	Remove and Reset Portable Median Barrier		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount
0790	619-F3003		106	Each	Delineators, Guard Rail, Yellow			
0800	619-F3004		83	Each	Delineators, Guard Rail, White			
0810	619-G4001		96	Linear Feet	Barricades, Type III, Single Faced			
0820	620-A001		1	Lump Sum	Mobilization	XXXXXXXX	XXX	
0830	627-K001		6,129	Each	Red-Clear Reflective High Performance Raised Markers			
0840	627-L001		56	Each	Two-Way Yellow Reflective High Performance Raised Markers			
0850	628-G001		9,788	Linear Feet	6" Cold Plastic Detail Stripe, White			
0860	628-I001		6	Mile	6" High Performance Cold Plastic Traffic Stripe, Skip White			
0870	628-J001		7	Mile	6" High Performance Cold Plastic Traffic Stripe, Continuous White			
0880	628-M001		7	Mile	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow			
0890	629-A002		2	Each	Vehicular Impact Attenuator, 60 MPH			
0900	629-C001		2	Each	Vehicular Impact Attenuator Back-up Wall			

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price		Bid Amount
0910	630-F008		50	Each	Delineators, Post Mounted, Double White			
0920	630-F009		50	Each	Delineators, Post Mounted, Double Yellow			
0930	630-G002		41	Each	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted			
0940	699-A001		1	Lump Sum	Roadway Construction Stakes	xxxxxxx	XXX	
0950	808-A001	(S)	1,048	Linear Feet	Joint Preparation			
0960	815-A009	(S)	5,400	Ton	Loose Riprap, Size 300			
0970	815-D001	(S)	81	Cubic Yard	Concrete Slope Paving			
0980	816-A001	(S)	1	Lump Sum	Maintenance Painting of Metal Structures	xxxxxxx	XXX	
0990	907-213-A001		34	Ton	Agricultural Limestone			
1000	907-304-F003	(GT)	91	Ton	3/4" and Down Crushed Stone Base			
1010	907-403-A011	(BA1)	5,316	Ton	Hot Mix Asphalt, ST, 12.5-mm mixture			
1020	907-403-A015	(BA1)	2,440	Ton	Hot Mix Asphalt, ST, 9.5-mm mixture			

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
1030	907-403-B001	(BA1)	5,856	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture, Leveling		
1040	907-403-D001	(BA1)	31,235	Ton	Hot Mix Asphalt, HT, 12.5-mm mixture, Polymer Modified		
1050	907-403-D004	(BA1)	9,760	Ton	Hot Mix Asphalt, HT, 9.5-mm mixture, Polymer Modified		
1060	907-410-D001		42,994	Square Yard	High Friction Surface Treatment		
1070 Chang	907-413-E001 ged 10/17/2008		4,500	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement		
1080	907-512-B001		680	Pounds	Portland Cement Pressure Grout Slurry, Type 1		
1090	907-601-B003	(S)	20	Cubic Yard	Class "B" Structural Concrete, Minor Structures		
1100	907-619-E3001	Į	16	Each	Changeable Message Sign		
1110	907-626-A003		27	Mile	6" Thermoplastic Traffic Stripe, Skip White		
1120	907-626-C004		6	Mile	6" Thermoplastic Edge Stripe, Continuous White		
1130	907-626-F004		5	Mile	6" Thermoplastic Edge Stripe, Continuous Yellow		
1140	907-626-G004		63,375	Linear Feet	Thermoplastic Detail Stripe, White		

Line No.	Item Code	Adj Code	Quantity	Units	Description	Unit Price	Bid Amount
1150	907-626-G005		1,849	Linear Feet	Thermoplastic Detail Stripe, Yellow		
1160	907-626-H004		2,304	Linear Feet	Thermoplastic Legend, White		
1170	907-626-H005	i	936	Square Feet	Thermoplastic Legend, White		
1180 Chang	907-687-A016 ged 10/17/2008	;	1	Each	Sensor, Loop, Sensor Automatic Traffic Recorder Station		
1190	907-687-B004		13	Each	Loop, Sensor, Loop Short Term Permanent Station,		
1200	907-824-PP00	2	334	Linear Feet	Bridge Repair, Joint Repair, Per Plans		
1210	907-824-PP00	4	334	Linear Feet	Bridge Repair, Removal of Joint Armor, Per Plans		
1220	907-824-PP00	8	422	Linear Feet	Bridge Repair, Silicone Sealed Joint, Per Plans		

## \*\*\* BID CERTIFICATION \*\*\*

	*** DBE/WBE SECTION ***
Complete item nos. 1, 2, and/or 3 as appropriate.	e. See Notice to Bidders addressing Disadvantaged Business Enterprises in Highway Construction.
I/We agree that no less than economically disadvantaged individuals (DI	percent shall be expended with small business concerns owned and controlled by socially and BE and WBE).
2. Classification of Bidder: Small Business (D	DBE)Small Business (WBE)
3. A joint venture with a Small Business (DBE	E/WBE):
	*** SIGNATURE STATEMENT ***
CKNOWLEDGES THAT HE/SHE HAS CHECK	*** SIGNATURE STATEMENT *** KED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGU
KNOWLEDGES THAT HE/SHE HAS CHECK ONSTITUTE THEIR OFFICIAL BID.	*** SIGNATURE STATEMENT *** KED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGU
KNOWLEDGES THAT HE/SHE HAS CHECK ONSTITUTE THEIR OFFICIAL BID.	
KNOWLEDGES THAT HE/SHE HAS CHECK ONSTITUTE THEIR OFFICIAL BID.	
CKNOWLEDGES THAT HE/SHE HAS CHECK ONSTITUTE THEIR OFFICIAL BID.	
CKNOWLEDGES THAT HE/SHE HAS CHECK ONSTITUTE THEIR OFFICIAL BID.	
CKNOWLEDGES THAT HE/SHE HAS CHECK ONSTITUTE THEIR OFFICIAL BID. ———	KED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGU
CKNOWLEDGES THAT HE/SHE HAS CHECK ONSTITUTE THEIR OFFICIAL BID. ———	KED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGU
CKNOWLEDGES THAT HE/SHE HAS CHECK ONSTITUTE THEIR OFFICIAL BID. ————————————————————————————————————	KED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGU
CKNOWLEDGES THAT HE/SHE HAS CHECK ONSTITUTE THEIR OFFICIAL BID.	KED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGU
CKNOWLEDGES THAT HE/SHE HAS CHECK ONSTITUTE THEIR OFFICIAL BID.	KED ALL ITEMS IN THIS PROPOSAL FOR ACCURACY AND CERTIFIED THAT THE FIGU